

Compliance Statement

No. 2024-818

Data communication cable, Category 6A

Company

INTELEK LTD
Dimophontos 1
Lamda Tower
1075 Nicosia, CY
HE 438609

Product description

Unscreened cable (U/UTP) characterised up to 500 MHz
Horizontal floor wiring cable, 100 Ω
4 twisted pairs
Flame retardant, halogen free

Product identification

Installation Cable Solarix CAT6A UTP LSOHFR B2ca-s1a,d1,a1 500m
Part no. 26000039 SXKD-6A-UTP-LSOHFR-B2ca

Generic cabling and cabling components standards - Category 6A cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
 - IEC 61156-5:2020 (Ed. 3.0)
 - EN 50173-1:2018 / EN 50173-2:2018
 - EN 50288-11-1:2012
 - TIA-568.2-D:2018
- including all cable alien crosstalk parameters (PS ANEXT and PS AACR-F)

Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

Technical report

12434274-02, DANAK-19/24669

EC Cabling product ID


7728

CS valid until

1 January 2026

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 11 December 2024


Lars Lindskov Pedersen
Test Manager


Dennis Andersen
Head of Department

